


– PROFILE :



– MATERIAL

- 1 – Inner beam : Steel
- 2 – Outer beam : Steel



- SURFACE FINISH Inner beam : Zinc plating
- SURFACE FINISH Outer beam : Nylon coated
- WEIGHT : 1,9 Kg/m

– OPTIONS :

Different slide lengths, extension, surface finish,
 \emptyset and holes centres to customer's requirement.



WE RECOMMEND USE ON THE MAJOR AXIS.
 DO NOT DISMOUNT THE SLIDE !



Dimensions in mm

* Loads indicated for a pair of slides mounted on the major axis with evenly distributed load.

L	248	298	349	400	451	502	552	603						
ø4 F.90°	5	6	7	8	9	10	11	12						
D	273	324	375	425	476	527	578	629						
Load* (Kg)	65	60	55	50	48	45	40	35						
Deflection (mm)	3	3	4	4	5	5	6	6						

RT3D

FT 041 – STEEL

21.11.2007

CHAMBRELAN BP 995 – 68 Bd Jules DURAND
 www.chambrelan.com 76061 LE HAVRE CEDEX – FRANCE
 Tel : +33 (0)2.35.24.62.80 – Fax : +33 (0)2.35.25.02.00
 info@chambrelan.com – www.chambrelan.com
 FILIALE : info@profilscope.de – www.profilscope.de

In a constant effort of improvement, the company reserves the right to modify its products without notice. No contractual information.